Alexander Greenspan et al.

Docket No.:

25797-00002

CLAIMS

Having thus described the invention, we claim:

- 1. An exercise device comprising:
 - a base; and
 - a platform rotatably tiltably connected to said base for continuous passive motion.
- 2. The exercise device of claim 1 further comprising a roller bearing located within said base to assist in permitting the rotatable tiltable motion of said platform relative to said base.
- 3. The exercise device of claim 1 wherein said base is manufactured from molded plastic.
- 4. The exercise device of claim 1 wherein said platform is manufactured from molded plastic.
- 5. The exercise device of claim 4 wherein said platform has a foot engaging top surface.
- 6. The exercise device of claim 5 wherein said foot engaging top surface includes a traction control surface.
- 7. The exercise device of claim 6 wherein said traction control surface comprises a rubber sheet.

Alexander Greenspan et al.

Docket No.:

25797-00002

8. An exercise device comprising:

a base having a ground-engaging bottom surface and top surface having a concave

surface therein;

a platform having a foot engaging top surface and a bottom surface having a convex

surface extending therefrom;

wherein said convex surface nests within said concave surface permitting said platform to

be rotatably tiltable relative to said base.

9. The exercise device of claim 8 wherein said platform is rotatably tiltable to said base for

continuous passive motion.

10. The exercise device of claim 9 further comprising at least one roller bearing located

within said base and extending beyond said concave surface into contact with said convex

surface to assist in permitting the rotatable tiltable motion of said platform relative to said base.

11. The exercise device of claim 10 having three roller bearings located within said base and

located approximately 120° apart.

12. An exercise device comprising:

a base;

{425967:}19

Alexander Greenspan et al.

Docket No.:

25797-00002

a platform rotatably tiltably connected to said base;

a motor housed within said base, said motor driving said platform for continuous active

motion relative to said base during activation.

13. The exercise device of claim 12 wherein said base further comprises an upwardly facing

concave surface and wherein said platform further comprises a downwardly facing convex

surface, wherein said convex surface nests within said concave surface permitting said platform

to be rotatably tiltable relative to said base.

14. The exercise device of claim 13 wherein said downwardly facing convex surface is offset

from the center of said platform.

15. The exercise device of claim 14 further comprising a ball joint extending from said

convex surface, said concave surface having an aperture therein providing access to the interior

of said base through which the ball joint extends, and a driven pulley mounted within said base

and having an offset ball pocket therein for receivably mounting said ball joint so that rotation of

said driven pulley imparts rotatably tiltable motion to said platform.

16. The exercise device of claim 15 wherein said driven pulley is driven by a timing belt

connected to said motor.

{425967:}20

Alexander Greenspan et al.

Docket No.:

25797-00002

17. The exercise device of claim 16 wherein the length of said ball joint is adjustable relative to said convex surface.

- 18. The exercise device of claim 17 wherein said base is manufactured from molded plastic.
- 19. The exercise device of claim 17 wherein said platform is manufacture from molded plastic.
- 20. The exercise device of claim 19 wherein said platform has a foot engaging top surface.
- 21. The exercise device of claim 20 wherein said foot engaging top surface includes a traction control surface.
- 22. The exercise device of claim 21 wherein said traction control surface comprises a rubber sheet.
- 23. An exercise device comprising:

a base;

a platform rotatably tiltably connected to said base wherein said platform is rotatably tiltably connected to said base at a position offset from the center of said platform;

Alexander Greenspan et al.

Docket No.: 25797-00002

a motor housed within said base, said motor driving said platform for continuous active motion relative to said base during activation.

The exercise device of claim 23 wherein said motor is operated through the use of a 24. remote control device.